

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/552,873	06/01/2007	Ronald W. McGehee	16-947	9468
7590 11/11/2009 TAROLLI, SUNDHEIM, COVELL & TUMMINO L.L.P. 1300 EAST NINTH STREET, SUITE 1700			EXAMINER	
			SELF, SHELLEY M	
CLEVEVLAND, OH 44114		ART UNIT	PAPER NUMBER	
			3725	
			MAIL DATE	DELIVERY MODE
		•	11/11/2009	PAPER

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

10 - 12 - 05 The drawings filed have been received. However, an inconsistency exists between the
The drawings filed have been received. However, an inconsistency exists between the
drawings and the Brief Description of the Drawings in the specification.
Figures $29a-29g$ are listed in the Brief Description of the Drawings in the specification but not
contained in the Drawings.
Figures 29 are contained in the Drawings but not listed in the Brief Description of the
Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS, whichever is longer,** from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b).**

Failure to correct the above noted inconsistency will result in abandonment of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

Return Corrected Drawings/Specification to:

Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

571-272-4200 or 1-888-786-0101 Application Assistance Unit Office of Data Management